

RESUSCITATION (CPR)

D

DANGER

Check for hazards & ensure safety

R

RESPONSE


Check to see if Unresponsive/Unconscious

S

SEND FOR HELP

Call the ambulance on 000

Adults & Children



A casualty that is unconscious, unresponsive, not breathing normally, not moving needs urgent resuscitation

A

AIRWAY

Open airway, Head tilt/Chin Lift

B

BREATHING

Check breathing, abnormal or not at all

C

CPR


30 Compression : 2 breaths
(if unwilling or unable to do breaths, consider compression only CPR)

D

DEFIBRILLATOR (AED)

As soon as available – attach AED as soon as possible and follow its prompts

Infants Under 12 months



Continue sequence until responsiveness or normal breathing returns, or help arrives

	HEAD TILT	PRESSURE	DEPTH	BREATHS	RATIO	COMPRESSION RATE
ADULTS & CHILDREN	Yes	2 Hands	$\frac{1}{3}$ chest depth (Approx 5 cm)	Full breaths	30 Compressions:2 Breaths	Compressions should be performed at the rate of almost 2 per second (i.e continuous rate of 100 per minute)
INFANT (birth – 1)	No	2 Fingers	$\frac{1}{3}$ chest depth (Approx 4 cm)	Puffs	30 Compressions:2 Breaths	